

FIGURE 1 - General Overview of Distributed File Storage System



FIGURE 2: One Embodiment of a Server Node



FIGURE 3 - FIVE metadata structures



FIGURE 4 - Sample Portion of a Filename Table

320

	Index (590)	G-Code	Data (591)	File Logical Block (592)
510	45	GNODE	Gnode = 67, Extent = 2, Root = TRUE	
511	46	DATA	Disk Logical Blocks: 456, 457 Drive 13	1
512	47	DATA	Disk Logical Blocks: 667, 668 Drive 15	2
513	48	DATA	Disk Logical Blocks: 112, 113 Drive 19	3
514	49	PARITY	Disk Logical Blocks: 554, 555 Drive 2	
515	50	DATA	Disk Logical Blocks: 458, 459 Drive 13	4
516	51	DATA	Disk Logical Blocks: 669, 670 Drive 15	5
517	52	DATA	Disk Logical Blocks: 119, 120 Drive 19	6
518	53	PARITY	Disk Logical Blocks: 556, 557 Drive 2	
519	54	LINK	Index 76	
	...	...	...	
520	76	GNODE	Gnode = 67, Extent = 3, Root = FALSE	
521	77	DATA	Disk Logical Blocks: 460, 461, 462 Drive 13	7
522	78	DATA	Disk Logical Blocks: 671, 672, 673 Drive 15	8
523	79	PARITY	Disk Logical Blocks: 121, 122, 123 Drive 19	
524	80	LINK	Index 88	
	...	...	...	
525	88	GNODE	Gnode = 67, Extent = 3, Root = FALSE	
526	89	DATA	Disk Logical Blocks: 463, 464, 465 Drive 13	9
527	90	DATA	Disk Logical Blocks: 674, 675, 676 Drive 15	10
528	91	PARITY	Disk Logical Blocks: 124, 125, 126 Drive 19	
529	92	GNODE	Gnode = 43, Extent = 4, Root = FALSE	
	...	...	...	

550 (rows 510–518); 551 (rows 520–524); 552 (rows 525–528); 500 (rows 510–528)

FIGURE 5 - Sample Portion of a Gee Table



FIGURE 6 - G-NODE ATTRIBUTES



FIGURE 7- Structure of a Gnid String



FIGURE 8a - Structure of a Cache Node



FIGURE 8B - Conceptual division of a Cache Node Table into Three Lists



FIGURE 9 - A Sample Lock String



FIGURE 10 - Refresh Nodes configured as a binary tree.



FIGURE 11 - RefreshNodes configured as a doubly-linked list



FIGURE 12 - Structure of an Intent Log Entry



FIGURE 13 - Structure of a File Handle



FIGURE 14a: Example of a File Look-Up



FIGURE 14b Example of a File Access



FIGURE 15:
Performing a File Access



FIGURE 16: Performing a File Handle Look-Up



FIGURE 17: Caching File Data



FIGURE 18 - File Allocation


1900
• Gnode Redirectors (GNR)
1910
gnr[n]
...
gnr[11]
gnr[10]
gnr[9]
gnr[8]
gnr[7]
gnr[6]
gnr[5]
gnr[4]
gnr[3]
gnr[2]
gnr[1]
gnr[0]
Not In Cache
Not In Cache
Not In Cache
Not In Cache
Not In Cache
Not In Cache
Not In Cache
Not In Cahce
Not In Cache
File Handle is this Index
1920
cached gnode - C
...
cached gnode - 2
cached gnode - 1
cached gnode - 0
600

FIGURE 19


2000
2010
STATUS
2020
LINKING INFORMATION
2030
GNODE
2040
File location data
128 Bytes
16 kBytes

Figure 20a


1910
GNR
2000
SG
small
medium
large
really large
2001
2002
2003
2004
SGD
SGG
SGL
SGLL
GSPB
GSPLB
2008
2009
GSP
2007
GEE
2006
DATA
2005

FIGURE 20b

CONVENTIONAL RAID MAPPING
(PRIOR ART)



FIGURE 21

FIGURE 22A



FIGURE 22B



FIGURE 23


2320
FILE #1
DATA 1 1
DATA 2 1
DATA 5 1
DATA 6 1
DATA 7 1
DATA 3 1
DATA 4 1
2330
2340
FILE #2
DATA 1 2
DATA 2 2
DATA 3 2
DATA 4 2
2330
2335
DATA 1 1
DATA 2 1
PARITY 1-2 1
DATA 5 1
DATA 6 1
DATA 7 1
PARITY 5-7 1
2330
2337
DATA 3 1
PARITY 3-4 1
DATA 4 1
2335
DATA 1 2
DATA 2 2
PARITY 1-2 2
2330
2337
DATA 3 2
DATA 4 2
PARITY 3-4 2
2305
DISK NUMBER
2300
2310
LOGICAL BLOCK OR CLUSTER
0 1 2 3 4 5 6 7 8 9 10 11
DATA 1 1
DATA 2 1
PARITY 1-2 2
DATA 3 2
PARITY 3-4 1
DATA 2 2
DATA 4 1
DATA 4 2
DATA 1 2
DATA 6 1
DATA 5 1
PARITY 1-2 1
DATA 3 1
DATA 7 1
PARITY 5-7 1
2337
PARITY 3-4 2
2337

FIGURE 24A



FIGURE 24B


2405
CLIENT STORAGE REQUEST
2410
ANALYZE DATA / DETERMINE BLOCK DISTRIBUTION
2430
PARSE INTO DATA BLOCK(S)
2440
DETERMINE PARITY GROUP ARRANGEMENT
2450
DETERMINE BLOCK DISTRIBUTION FOR STORAGE
2470
DATA
2415
RECEIVE DATA FROM CLIENT
2420
CALCULATE PARITY BLOCKS
2460
STORE BLOCKS
2480

FIGURE 25


2320
FILE #1
DATA 1 1
DATA 2 1
DATA 5 1
DATA 6 1
DATA 7 1
2330
DATA 3 1
DATA 4 1
2340
FILE #2
DATA 1 2
DATA 2 2
DATA 3 2
DATA 4 2
2330
2335
DATA 1 1
DATA 2 1
PARITY 1-2 1
2330
2337
DATA 3 1
DATA 4 1
PARITY 3-4 1
DATA 5 1
DATA 6 1
DATA 7 1
PARITY 5-7 1
2335
DATA 1 2
DATA 2 2
PARITY 1-2 2
2330
2337
DATA 3 2
DATA 4 2
PARITY 3-4 2
2305
DISK NUMBER
2300
2310
LOGICAL DISK BLOCK OR CLUSTER
0 1 2 3 4 5 6 7 8 9 10 11
0
1
2
3
4
5
6
7
8
9
10
11
12
.
.
.
N
PARITY 1-2 2
DATA 1 1
DATA 2 2
PARITY 3-4 1
DATA 3 1
DATA 7 1
DATA 4 1
DATA 4 2
DATA 1 2
DATA 6 1
DATA 5 1
PARITY 5-7 1
2337
2490
DATA 2 1
DATA 3 2
PARITY 1-2 1
PARITY 3-4 2
2337

FIGURE 26A



FIGURE 26B



DISK ARRAY INITIALIZATION USING GEE TABLE SPACE ALLOCATION



FIGURE 27

ARRAY PREPARATION / G-TABLE FORMATTING



FIGURE 28



2532 2534 2536 2530

INDEX	G-CODE	DATA		FILE LOGICAL BLOCK	
...	...	... (2635, 2542, 2637)			
45	GNODE	GNODE = 67, EXTENT=2, ROOT = TRUE			
46	DATA	BLOCKS 456, 457: Drive 13	2655	1	2627
47	DATA	BLOCKS 667, 668: Drive 15		2	
48	DATA	BLOCKS 112, 113: Drive 19		3	
49	PARITY	BLOCKS 554, 555: Drive 2			
50	DATA	BLOCKS 458, 459: Drive 13	2656	4	
51	DATA	BLOCKS 669, 670: Drive 15		5	
52	DATA	BLOCKS 114, 115: Drive 19		6	
53	PARITY	BLOCKS 556, 557: Drive 2			
54	LINK	INDEX 76			
...	...	...			
76	GNODE	GNODE = 67, EXTENT=3, ROOT = FALSE			
77	DATA	BLOCKS 460, 461, 462: Drive 13	2657	7	2628
78	DATA	BLOCKS 671, 672, 673: Drive 15		8	
79	PARITY	BLOCKS 121, 122, 123: Drive 19			
80	LINK	INDEX 88			
...	...	...			
88	GNODE	GNODE = 67, EXTENT=2, ROOT = FALSE			
89	DATA	BLOCKS 463, 464, 465: Drive 2	2658	9	2629
90	DATA	BLOCKS 674, 675, 676: Drive 5		10	
91	PARITY	BLOCKS 124, 125, 126: Drive 13			
...					

2632 (rows 46–53) 2632 (rows 77–79) 2632 (rows 89–91)

2630 2638 2660 2640 2661 2650 2615

FIGURE 29

DRIVE FAILURE RECOVERY MECHANISM



FIGURE 30


3172
DATA RECOVERY PROCESS
IDENTIFY DATA OR DRIVE FAULT / DETERMINE AFFECTED BLOCKS
3175
DETERMINE ASSOCIATED PARITY GROUP
3177
IDENTIFY AFFECTED BLOCKS IN G-TABLE
3179
DETERMINE AVAILABLE DISK SPACE
3180
UPDATE G-TABLE / REBUILD DATA
3181

FIGURE 31

FIGURE 32A



FILE #1 W/ PARITY -- 4-BLOCK PARITY GROUP -- EXTENT = 2 — 3240
5120 BYTES TOTAL / UTILIZATION = 100%



FILE #1 W/ PARITY -- 3-BLOCK PARITY GROUP -- EXTENT = 2 — 3241
8192 BYTES TOTAL / UTILIZATION = 66%



FILE #1 W/ PARITY -- 2-BLOCK PARITY GROUP -- EXTENT = 1 — 3242
6144 BYTES TOTAL / UTILIZATION = 100%



FILE #1 W/ PARITY -- 1-BLOCK PARITY GROUP -- EXTENT = 1 — 3243
8192 BYTES TOTAL / UTILIZATION = 100%



FIGURE 32B



FILE #2 W/ PARITY -- 4-BLOCK PARITY GROUP -- EXTENT = 2 — 3250
5120 BYTES TOTAL / UTILIZATION = 25%



FILE #2 W/ PARITY -- 3-BLOCK PARITY GROUP -- EXTENT = 2 — 3251
4096 BYTES TOTAL / UTILIZATION = 33%



FILE #2 W/ PARITY -- 2-BLOCK PARITY GROUP -- EXTENT = 1 — 3252
1536 BYTES TOTAL / UTILIZATION = 100%



FILE #2 W/ PARITY -- 1-BLOCK PARITY GROUP -- EXTENT = 1 — 3253
2048 BYTES TOTAL / UTILIZATION = 100%




3360
RECEIVE FILE DATA
3361
ASSES FILE DATA CHARACTERISTICS
3363
IDENTIFY AVAILABLE PARITY GROUP CONFIGURATIONS
3365
SELECT PARITY GROUP CONFIGURATION BASED ON UTILIZATION CHARACTERISTICS
3367
STORE FILE DATA IN SELECTED PARITY GROUP
3369

FIGURE 33

FIGURE 34A



	INITIAL ALLOCATION 3491	DISK SPACE % 3485
4 block parity 3480	10000 groups	36%
3 block parity 3481	10000 groups	28%
2 block parity 3482	10000 groups	22%
1 block parity 3483	10000 groups	14%

DISK USAGE 3487

FIGURE 34B

	FREE 3492	OCCUPIED 3490	TOTAL	DISK SPACE %
3480 4 block parity	2500 groups	7500 groups	10000 groups	36%
3481 3 block parity	7500 groups	2500 groups	10000 groups	28%
3482 2 block parity	3500 groups	6500 groups	10000 groups	22%
3483 1 block parity	500 groups	9500 groups	10000 groups	14%

REDISTRIBUTION 3494

FIGURE 34C

		FREE 3492	OCCUPIED 3490	TOTAL	DISK SPACE %
3480 4 block parity		2500 groups	7500 groups	10000 groups	36%
3481 3 block parity	-5000 groups of 3 block parity	2500 groups	2500 groups	5000 groups	14%
3482 2 block parity		3500 groups	6500 groups	10000 groups	22%
3483 1 block parity	+10000 groups of 1 block parity	10500 groups	9500 groups	20000 groups	28%

REDISTRIBUTION

PARITY GROUP REDISTRIBUTION PROCESSES 3500

FIGURE 35A



FIGURE 35B




3600
3602
MONITOR PARITY GROUP AVAILABILITY
NO
3604
PARITY GROUP DEPLETION OBSERVED ?
YES
3606
ASSESS PARITY GROUP STATISTICS
3608
REDISTRIBUTE PARITY GROUPS

FIGURE 36


3492
REMAINING FREE / AVAILABLE
OCCUPIED
3490
3492
REMAINING FREE / AVAILABLE
OCCUPIED
3490
3480
4 block parity
2800 groups
7200 groups
5400 groups
9200 groups
3481
3 block parity
1800 groups
8200 groups
1800 groups
8200 groups
3482
2 block parity
800 groups
9200 groups
800 groups
9200 groups
3483
1 block parity
2300 groups
7700 groups
300 groups
4500 groups
OPTIMIZATION
3785
+2000 groups of 4-block parity
-3200 groups of 1-block parity
1200
Equivalent space of 1200 groups of 1-block parity freed

FIGURE 37


3800
3851
PERFORM FILE OPERATIONS
3854
COLLECT RESOURCE UTILIZATION STATISTICS
3852
COLLECT FILE ACCESS STATISTICS
3856
PREDICT FUTURE FILE AND RESOURCE UTILIZATION (WORKLOAD)
3858
WORKLOAD DISTRIBUTION
3860
CONTENT DISTRIBUTION

FIGURE 38


3900
CLIENTS
110
120
COMMUNICATION FABRIC
3905
3910
3915
F1
F2
F3
F4
F5
FAST SMALL
SF1
FAST AVERAGE
SF2
AVERAGE LARGE
FAST SMALL
SF3
FAST LARGE
SF1'
FAST LARGE
SF2'
DEFECTIVE
NEW SLOW LARGE
VERY FAST SMALL
LF1
VERY FAST SMALL
LF2
VERY FAST SMALL
LF3
RESOURCE
SLOW LARGE
SLOW LARGE
RESOURCE
SLOW LARGE
SLOW VERY LARGE
TAPE DRIVE
FAST LARGE
3920
3922
3924
3926
3928

FIG. 39


4000
NETWORK DRIVERS AND STACKS
INTER-NODE COMM
BACKUP
ADMIN INTERFACE
PROTOCOL INTERPRETER
PROTOCOL INTERPRETER
SERVER MANAGER
4008
SERVER INTERFACE
4005
4020
LOAD BALANCING DATA
F3 LOAD BALANCING DATA
STATISTICS
REQUEST PROCESSING
4012
DATA AND METADATA MGMT
4014
STORAGE MGMT
4016
NETWORK DRIVER
OBJECT POSITIONER
FILE SYSTEM
4010
F5 LOAD
F4 LOAD
F2 LOAD
F1 LOAD BALANCING DATA
4018
OBJECT POSITIONING PLAN
4025

FIG. 40

F3 OBJECT
POSITIONING PLAN

-Push LF to F4-F5 Cluster

-Issue File Handle For LF = Stale

-If Requested,
- -Send acceptance for copy of SF to F1
- -Create copy of SF
- -Send file handle of SF to F1

4025

FIG. 41


Clients
110
Network Interface
Network Interface
4214
Network Bus
4201
4216
4218
File System Metadata RAM Non Volatile
CPU(s)
4205
DATA
ENGINE
4210
Data/Parity Cache RAM A Non Volatile
Data/Parity Cache RAM B Non Volatile
4220
4202
Storage Bus
Storage Interface
Storage Interface
4212
130
140, 141
Disks

FIGURE 42


NETWORK BUS A
4201
4310
ASIC
EXTERNAL BUS INTERFACE
4301
4330
CACHE READ BUFFER
4331
CACHE READ BUFFER
4332
4334
4336
4337
4335
4333
CACHE WRITE BUFFER
PARITY ENGINE
EXT BUS WRITE BUFFER
EXT BUS WRITE BUFFER
PARITY ENGINE
CACHE WRITE BUFFER
4218
DATA CACHE RAM A
CACHE CONTROLLER
FEED-BACK BUFFER
4338
CONTROL LOGIC
4380
FEED-BACK BUFFER
4339
4220
DATA CACHE RAM B
CACHE CONTROLLER
4320
4340
4341
FEED-BACK BUFFER
FEED-BACK BUFFER
4344
4346
4345
4347
4342
4343
CACHE WRITE BUFFER
PARITY ENGINE
EXT BUS WRITE BUFFER
EXT BUS WRITE BUFFER
PARITY ENGINE
CACHE WRITE BUFFER
4348
4349
CACHE READ BUFFER
CACHE READ BUFFER
EXTERNAL BUS INTERFACE
4302
NETWORK BUS B
4202

FIGURE 43



4400

FIGURE 44